

# Receiving Report

Date:

12/6/20

Batch No:

M/22146

Supplier:

MARHUN

Dart P/O:

17164

Packing Slip:

Yes

☒

No

☐

Invoice:

Yes

☐

No

☒

Receipt:

Cash

☐

Cr

☒

Release Note Attached:

Yes

☒

No

☐

N/A

☐

Waybill Attached:

Yes

☒

No

☐

N/A

☐

Shipment Complete:

Yes

☒

No

☐

N/A

☐

QC6 Inspection

☒

NA

12.06.22

☐

N/A

☐

Work Order

☒

NA

12.06.22

☐

N/A

☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK)

Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

12/6/20  
[Signature]

Location

All amounts are calculated in domestic currency.

All Item ID/GL/WOs	All Rec. Employees	All Currencies

**Total Received Quantity:**  
**Total Qty to Inspect (PO U/M):**  
**Total Reject Quantity:**  
**Total Receipt Value:**  
**Total Balance Due Quantity:**



# Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay  
Boucherville QU CAN J4B 5X9  
TEL. 514/527-9153  
FAX. 450/641-4357

## PACKING SLIP

PAGE...: 1  
Order : 16901  
Date...: 06/19/2012

### SOLD TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

### SHIPPED TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA		F.O.B.	SALESPERSON		YOUR ORDER NO.
TST OVERLAND #222212		BOUCHERVILLE	G. Dulude		17164
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered	
01	Fax all papers to Linda Lacelle 613-632-1053 rev: 01/11 GD				
60 /FT	ALUMINUM SMLS TUBE ATS 1.750 .065 D6061 Tariff Number: 7608.20.00.90 Cust. part#: M6061T6T1.750W.065 HT#.....: F00007748 Total....	5 5	60/FT 60/FT	2	
02	ALUMINUM SMLS TUBE ATS 1.000 .065 D6061 Tariff Number: 7608.20.00.90 Cust. part#: M6061T6T1.000W065 HT#.....: F00011818 HT#.....: F00013691 Total....	1 4 5	12/FT 48/FT 60/FT		
				Pp/20	

No. of Bcls/Pieces

1 / 0

Total Weight.....:

38

Customers.: \_\_\_\_\_



A Marmon Distribution Services/Berkshire Hathaway Company

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 60-9946-4		CUSTOMER PART NUMBER: AT/1.75.065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 205199	LINE ITEM: 004	SHIP DATE: 04/17/2010	KAISER LOT NUMBER: F00007748	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 612.000 LB	QUANTITY: 126.000 PCS	B/L NUMBER: 204403	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEystone CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA			SOLD TO:  MARMON/KEystone CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

## Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON% IACS	BEND
F00007748	0001	1	47.7	44.3	17.0	N/A	N/A	N/A
F00007748	0002	1	47.9	44.9	18.0	N/A	N/A	N/A

## Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68099	.59	.33	.22	.05	.99	.09	.06	.02	.00	.00	.00	.00	.02
D67819	.64	.36	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

## CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

*Christopher J. Garcia*  
*ATG 1.750 .065 D6061 T6*

Page 1 of 2

OR.REF  
SISPRS

INIT.:

To:

10/12/2010 From: MARMON/KEYSTONE CORPORATION

M/K OR: 6131483

C PART:

C.P.O.:

**KAISER  
ALUMINUM  
FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

*Best in Class*


**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

**Applicable Requirements:**

Description: MADE IN USA  
OD: 1.750"; Wall: 0.065"; Round @  
AMS-4082P ASTM-B210-04 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.  
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR  
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.  
COMPLIES TO DIN EN 10204 JAN 2005  
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
No Weld Repair. Mercury Free.

**Miscellaneous Notes**

MANUFACTURED IN USA MELTED IN USA



**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

*Christopher J. Garcia*

Page 2 of 2

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

OR REF:  
SLSPRS:

TO:

INIT.::

10/12/2010 From: MARION/KEYSTONE CORPORATION

M/K OR: 6131483

C.P.O.::

C PART:

# KAISER

## ALUMINUM

### FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 61-14812-2		CUSTOMER PART NUMBER: AT/1..065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 207690	LINE ITEM: 002	SHIP DATE: 07/06/2011	KAISER LOT NUMBER: F00011818	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 339.000 LB	QUANTITY: 126.000 PCS	B/L NUMBER: 208176	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00011818	0001	1	46.6	42.8	15.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Er	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69213	.63	.32	.22	.05	.96	.08	.07	.02	.00	.00	.00	.01	.02

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00010934

Kaiser Order Number: 207690

Line Item: 002

Page 1 of 2

ATS 1.000 .065 D6061 T6

**KAISER  
ALUMINUM  
FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

*Best in Class*


**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

**Applicable Requirements:**

Description: MADE IN USA  
OD: 1.000"; Wall: 0.065"; Round @  
AMS-4082P ASTM-B210-04 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR  
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.  
COMPLIES TO DIN EN 10204 JAN 2005  
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
No Weld Repair. Mercury Free.

**Miscellaneous Notes**

MANUFACTURED IN USA MELTED IN USA



**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

A handwritten signature in black ink, appearing to be "Nathaniel Stevens".

Page 2 of 2

Plant Serial: 00010934

Kaiser Order Number: 207690

Line Item: 002

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
5205 KAISER DRIVE  
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: 61-17139-1		CUSTOMER PART NUMBER: AT/1..065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 607344	LINE ITEM: 001	SHIP DATE: 01/04/2012	KAISER LOT NUMBER: F00013691	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 644.000 LB	QUANTITY: 239.000 PCS	B/L NUMBER: 602261	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00013691	0001	1	44.1	40.8	14.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69692	.62	.33	.23	.06	.96	.07	.05	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: MADE IN USA  
OD: 1.000"; Wall: 0.065"; Round @  
AMS-4082P ASTM-B210-04 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR  
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.  
COMPLIES TO DIN EN 10204 JAN 2005  
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
No Weld Repair. Mercury Free.

### Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER,AZ) MELTED IN USA

Plant Serial: 00022755  
Kaiser Order Number: 607344  
Line Item: 001



**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
5205 KAISER DRIVE  
KALAMAZOO, MI 49048

*Best in Class*

**CERTIFIED TEST REPORT**


<http://Online.KaiserAluminum.com>

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

*Alex Yeh*





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO17164

Purchase Order Date 6/08/12

PO Print Date 6/08/12

Page Number 1 of 2

Order From :

MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA

VC-MAR001

Contact Name

Vendor Phone 800 361 8142  
Vendor Fax 450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

10127-2607

Tax Resale Nbr

Net 30

Terms

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA



Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TS0.750W.065 M122051	304 SQ Tube .75x.75x.065W	6/13/12 Yes	1,000.00 f	TST ground ✓	\$2.3000	\$2,300.00
Special Inst: MATERIAL: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR ASTM A260 MILL FINISH							
2	M6061T6T1.750W.065	6061T6 RDTUBE 1.750 X 0.65W	6/22/12 Yes	60.00 f	TST ground	\$6.9900	\$419.40
Special Inst: MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8							
3	M6061T6T1.000W065	6061T6 RD TUBE 1.00 X .065w	6/22/12 Yes	60.00 f	TST ground	\$3.9000	\$234.00

Change Nbr: 1

Change Date: 6/08/12

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required YES NO